



## MB-330 Gel Coat Color Match Project Request

Copyright 2010-2016

**INSTRUCTIONS: To ensure the best possible color match, please follow the guidelines below.**

1. Provide a clean 3" x 5" fiberglass sample of your color for the best possible match.
2. Send all samples to the following address:  
**Polynt Composites USA Inc.**  
**820 E. 14<sup>th</sup> Avenue**  
**North Kansas City, MO 64116**  
**ATTENTION: Color Lab**
3. Fill out the completed form and enclose a copy with the sample.
4. Questions can be directed to **color.lab@polynt.com** or 800-821-3590.

### **A. Submitter Information**

Submitter Name	
Submitter Title	
Company Name	
Company Address (street address, city, state zip code)	
Email	
Phone	

### **B. End Customer Information**

If you are requesting a color match on behalf of another party, please provide contact information for the end customer.

Contact Name	
Contact Title	
Company Name	
Company Address (street address, city, state zip code)	
Contact Email	
Contact Phone	

Please indicate whether the questions should be directed to the submitter or the end customer.

Submitter       End Customer

### **MB-330**

Polynt Composites USA Inc. • 99 East Cottage Ave. • Carpentersville, IL 60110  
Customer Service: phone +1 800 322 8103 • fax +1 847 428 2757  
www.polynt.com • www.pccrusa.com • www.Polyntcomposites.com



**C. Match Information**

Please indicate the gel coat series in which the color should be matched.

REQUESTED PRODUCT SERIES BY MARKET CLASS				
Enamel	<input type="checkbox"/> 998 POLYCOR® MC			
Marble & Casting	<input type="checkbox"/> 99C POLYCOR®			
Marine	<input type="checkbox"/> 953 ArmorFlex®	<input type="checkbox"/> 991 ARMORCOTE® MC	<input type="checkbox"/> 99F ARMORFLEX® (whites only)	<input type="checkbox"/> PCT 100, PCT110 IMEDGE® (colors only)
Multipurpose	<input type="checkbox"/> 943 POLYCOR®	<input type="checkbox"/> 944 POLYCOR® <input type="checkbox"/> 964 POLYCOR® MC	<input type="checkbox"/> QuickMix® <input type="checkbox"/> QuickMix® MC	
Sanding	<input type="checkbox"/> 949 POLYCOR®	<input type="checkbox"/> 969 POLYCOR® MC		
Sanitary	<input type="checkbox"/> 992 BathCote™ MC	<input type="checkbox"/> 99S BathCote HF™ MC		
Specialty	<input type="checkbox"/> 947 POLYCOR®			
Swimming Pools (see Note 2)	<input type="checkbox"/> 960 SW POLYCOR® MC	Standard Pool Colors are: •960-LK-171SW Blue, •960-WK-433SW White, •960-W-016SW White, •960-LF-214SW Light “Baby” Blue		
Transportation	<input type="checkbox"/> 991 ARMORCOTE®MC	<input type="checkbox"/> 99F ARMORFLEX® (white only)		

Note-1: MC—MACT Compliant

Note-2: Any other swimming pool color matches will require our pool gel coat release disclaimer signed by the customer.

Note-3: All matches will be targeted to A quality

Please indicate the end use application

--

Please indicate desired color name, if known

--

Please add any additional comments below

Sample Descriptions / Special Requirements / Specifications:

**MB-330**



**D. Match Approval**

Please indicate if a physical sample is needed for match approval:  Yes  No

If yes please provide the contact names and addresses to which physical samples should be sent. Include multiple contacts if needed.

Company Name		
Contact Name		
Contact Title		
Company Address (street address, city, state, zip code)		
Contact Email		
Contact Phone		
Number of Standards Needed		

All color matches will ship USPS Priority, 2-3 day delivery

**E. Commercial Information**

Polynt Composites Account Manager if different from submitter \_\_\_\_\_

Anticipated Polynt plant location \_\_\_\_\_

Anticipated order date \_\_\_\_\_

Anticipated order quantity \_\_\_\_\_

Package size needed:  5 gallon pail  32 gallon drum  55 gallon pail

Anticipated order frequency \_\_\_\_\_

LAB USE ONLY	
Project #	
Assigned To	
Date Received	